

# MATERIAL SAFETY DATA SHEET

May be used to comply with  
OSHA's Hazard Communication Standard,  
29 CFR 1910.1200. Standard must be  
consulted for specific requirements.

**IDENTITY** (*As Used on Label and List*)  
**SEAL-RYT STYLE 465**

## SECTION I

Manufacturer's Name  
**SEAL-RYT CORPORATION**

Address (*Number, Street, City, State, and ZIP Code*)  
**150 PLEASANT STREET  
EASTHAMPTON, MA 01027**

# U.S. DEPARTMENT OF LABOR

Occupational Safety and Health Administration  
(Non-Mandatory Form) Form Approved OMB No.1218-0072

Note: Blank spaces are not permitted. If any item is not applicable,  
or no information is available, the space must be marked to  
indicate that.

Emergency Telephone Number  
**(413) 527-6243**

Telephone Number for Information  
**(413) 527-6243**

**Date prepared 3/23/07**

Signature of Preparer (optional)

## SECTION II - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

<u>Hazardous Components (Specific Chemical Identity: Common Names))</u> <i>(optional)</i>	OSHA PEL	ACGIH TLV	Other limits	
			<u>Recommended</u>	<u>%</u>
N/A				

## SECTION III PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point <b>INERT OIL PORTION &gt;300F</b>	Specific Gravity (H201)	<b>1.2</b>
Vapor Pressure (mm Hg.) <b>&lt; 5 MM</b>	Melting Point	<b>&lt; 1</b>
Vapor Density (AIR -1) <b>SURFACTANT PORTION 21</b>	Evaporation Rate(Butyl Acetate=1)	<b>&lt;1</b>
Solubility in Water: <b>N/A</b>	Appearance and Odor <b>BLACK, ODORLESS</b>	

## SECTION IV - FIRE AND EXPLOSION HAZARD DATA

Flash Point (Method Used) <b>INERT OIL PORTION ONLY OPEN CUP 610 DEGREE'S F</b>	Flammable Limits: N/A	LEL	UEL
--	-----------------------	-----	-----

Extinguishing Media  
**CO2 OR FOAM**

Special Fire Fighting Procedures  
**SELF CONTAINED BREATHING APPARATUS WITH FULL FACE SHEILD AND PROTECTIVE CLOTHING.**

Unusual Fire and Explosion Hazards  
**PTFE WILL BURN WHEN IGNITED IN 100 % OXYGEN**

(Reproduce locally)

OSHA 174, Sept. 1985

**SECTION V-REACTIVITY DATA**

Stability: Unstable: Stable: **XX** **Conditions to Avoid: ELEVATED TEMPERATURES AND INCINERATION**

Incompatibility (*Materials to Avoid*):

**MOLTEN ALKALI METALS, INTERHALOGEN COMPOUNDS, STRONG OXIDIZERS**

Hazardous Decomposition or Byproducts:

**TRACE AMOUNTS OF HYDROGEN FLUORIDE & PERFLUOROCARBON OLEFINS MAY BE EVOLVED ABOVE 400 DEGREE'S F**

Hazardous Polymerization: May Occur: **XX** Will Not Occur: Conditions to Avoid:

**SECTION VI - HEALTH HAZARD DATA N/A**

Route(s) of Entry: Inhalation? Skin? Ingestion?

Health Hazards (*Acute and Chronic*) None Carcinogenicity: NTP? IARC Monographs? OSHA Regulated?

Signs and Symptoms of Exposure:

Medical Conditions Generally Aggravated by Exposure:

Emergency and First Aid Procedures:

**SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE**

Steps to Be Taken in Case Material Is Released or Spilled: N/A

Waste Disposal Method:

**DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE, AND FEDERAL REGULATIONS.**

Precautions to Be Taken in Handling and Storing: N/A

Other Precautions: **Do not smoke while handling.**

**SECTION VIII - CONTROL MEASURES**

Respiratory Protection (Specify Type) **USE ADEQUATE VENTILATION WHEN PROCESSED AT ELEVATED TEMPERATURES**

Ventilation: Local Exhaust: N/A Special: N/A Mechanical (General): N/A Other: N/A

Protective Gloves: Eye Protection: Other Protective Clothing or Equipment: N/A

**GOOD PRACTICE SAFETY GLASSES SUGGESTED**

Work/Hygienic Practices: **WASH HANDS AFTER HANDLING**